



# Wildlife Habitat Evaluation Food Flash Cards

Authors: Natalie Carroll, Professor, Youth Development and Agricultural Education

Brian Miller, Director, Illinois–Indiana Sea Grant College Program

Photos by the authors, unless otherwise noted.

These flash cards can help youth learn about the foods that wildlife eat. This will help them assign individual food items to the appropriate food categories and identify which wildlife species eat those foods during the Foods Activity of the Wildlife Habitat Evaluation Program (WHEP) contest. While there may be some disagreement about which wildlife eat foods from the category represented by the picture, the authors feel that the species listed give a good representation.

Use the following pages to make flash cards by cutting along the dotted lines, then fold the papers where indicated. Preprinted flash card sets are available for purchase at: Purdue Extension–The Education Store, [www.the-education-store.com](http://www.the-education-store.com).

It can be especially effective to have a peer educator (youth showing the cards who can see the answers) count to five for each card. If the learner gets it



right, it goes in the “fast” pile. If it takes a little longer, put the card in the “medium” pile. And if the learner does not know, put the card in the “no” pile. Concentrate follow-up study efforts on the “medium” and “no” piles.

## THE CONTEST

When youth attend the WHEP Career Development Event (CDE), actual food specimens—not pictures—will be displayed on a table (see Figure 1). Participants need to identify which food category is represented by the specimen. Participants will write this food category on the top of the score sheet (Scantron sheet, see Figure 2) and then mark the appropriate boxes that represent the wildlife species which eat this category of food. The same species are listed on the flash cards, making it much easier for the students to learn this material.

For more information, visit:

[www.four-h.purdue.edu/whep](http://www.four-h.purdue.edu/whep)





Figure 1 - Foods activity

ParSCORE™ STUDENT ENROLLMENT SHEET		
I.D. NUMBER	PHONE NUMBER	
AREA-CODE		
American kestrel 1 American robin 2 Beaver 3 Big brown bat 4 Black-capped chickadee 5 Bluebirds 6 Bluegill 7 Bobcat 8 Box turtle 9 Brown thrasher 10  Butterflies 11 Canada goose 12 Coyote 13 Eastern bluebird 14 Eastern cottontail 15 Eastern gray squirrel 16 Frogs 17 Great horned owl 18 House Finch 19 House Wren 20  Hummingbird 21 Largemouth bass 22 Mallard 23 Mink 24 Mourning dove 25 Muskrat 26 Northern bobwhite 27 Northern flicker 28 Ovenbird 29 Raccoon 30  Red-tailed hawk 31 Red-winged blackbird 32 Rock dove 33 Ruffed grouse 34 Rufous-sided towhee 35 Song sparrow 36 White-tailed deer 37 Wild turkey 38 Wood duck 39  Subtotal 40 Total 41 Test Form 42 Exam Number 43  <b>DIRECTIONS</b> USE NO. 2 PENCIL ONLY. USE A NO. 2 PENCIL ONLY. FILL IN BUBBLE COMPLETELY. ERASE COMPLETELY TO CHANGE. DO NOT FOLD OR STAPLE. EX: <b>A</b> <b>B</b> <b>C</b> <b>D</b>		
LAST NAME	FIRST NAME	MIDDLE INITIAL
1. Woods 2. Grass 3. Snake 4. Flowers or tubers 5. Fungi or mushrooms 6. Nuts 7. Centres or roots 8. Egg 9. Fern 10. Mammals		

Figure 2 - Scantron sheet

Cut

Fold



## Aquatic Plants

### Eaten by:

Beaver, Bluegill,  
Blue-winged Teal,  
Canada Goose, Mallard,  
Muskrat, White-tailed Deer,  
Wood Duck

Cut



## Aquatic Plants

### Eaten by:

Beaver, Bluegill,  
Blue-winged Teal,  
Canada Goose, Mallard,  
Muskrat, White-tailed Deer,  
Wood Duck

Cut



## Aquatic Plants

### Eaten by:

Beaver, Bluegill,  
Blue-winged Teal,  
Canada Goose, Mallard,  
Muskrat, White-tailed Deer,  
Wood Duck

Cut

Cut

Fold



## Bark

### Eaten by:

Beaver, Eastern Cottontail,  
Eastern Gray Squirrel,  
White-tailed Deer

Cut



## Bark

### Eaten by:

Beaver, Eastern Cottontail,  
Eastern Gray Squirrel,  
White-tailed Deer

Cut



## Bark

### Eaten by:

Beaver, Eastern Cottontail,  
Eastern Gray Squirrel,  
White-tailed Deer

Cut

Cut

Fold

Photo Credit: U.S. Fish & Wildlife Service



## Birds

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Eastern Gray Squirrel,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk

Cut

Photo Credit: U.S. Fish & Wildlife Service



## Birds

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Eastern Gray Squirrel,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk

Cut

Photo Credit: U.S. Fish & Wildlife Service



## Birds

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Eastern Gray Squirrel,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk

Cut

Cut

Fold



### Buds (Flower and Leaf)

Eaten by:

Beaver, Box Turtle,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
Northern Bobwhite,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut



### Buds (Flower and Leaf)

Eaten by:

Beaver, Box Turtle,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
Northern Bobwhite,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut



### Buds (Flower and Leaf)

Eaten by:

Beaver, Box Turtle,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
Northern Bobwhite,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut

Cut

Fold



## Carrion

### Eaten by:

Bobcat, Box Turtle,  
Coyote, Mink, Raccoon,  
Red-tailed Hawk

Cut



## Carrion

### Eaten by:

Bobcat, Box Turtle,  
Coyote, Mink, Raccoon,  
Red-tailed Hawk

Cut



## Carrion

### Eaten by:

Bobcat, Box Turtle,  
Coyote, Mink, Raccoon,  
Red-tailed Hawk

Cut

Cut

Fold



Photo Credit: Eric Gunther

## Centipedes and Millipedes

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher,  
Eastern Bluebird,  
House Sparrow, House Wren,  
Northern Bobwhite,  
Northern Flicker, Ovenbird,  
Raccoon,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey

Cut



## Centipedes and Millipedes

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher,  
Eastern Bluebird,  
House Sparrow, House Wren,  
Northern Bobwhite,  
Northern Flicker, Ovenbird,  
Raccoon,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey

Cut



## Centipedes and Millipedes

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher,  
Eastern Bluebird,  
House Sparrow, House Wren,  
Northern Bobwhite,  
Northern Flicker, Ovenbird,  
Raccoon,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey

Cut

Cut

Fold



## Crayfish

Eaten by:

Bluegill, Bullfrog, Coyote,  
Largemouth Bass, Mink,  
Muskrat, Raccoon

Cut



## Crayfish

Eaten by:

Bluegill, Bullfrog, Coyote,  
Largemouth Bass, Mink,  
Muskrat, Raccoon

Cut

Photo Courtesy U.S. Fish & Wildlife Service



## Crayfish


Eaten by:

Bluegill, Bullfrog, Coyote,  
Largemouth Bass, Mink,  
Muskrat, Raccoon

Cut

Cut

Fold



## Earthworms

### Eaten by:

American Robin, Bluegill,  
Blue-winged Teal, Box Turtle,  
Brown Thrasher, Bullfrog,  
Eastern Bluebird,  
European Starling, House Wren,  
Largemouth Bass, Mallard,  
Mink, Northern Bobwhite,  
Ovenbird, Raccoon,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey,  
Wood Duck

Cut



## Earthworms

### Eaten by:

American Robin, Bluegill,  
Blue-winged Teal, Box Turtle,  
Brown Thrasher, Bullfrog,  
Eastern Bluebird,  
European Starling, House Wren,  
Largemouth Bass, Mallard,  
Mink, Northern Bobwhite,  
Ovenbird, Raccoon,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey,  
Wood Duck

Cut



## Earthworms

### Eaten by:

American Robin, Bluegill,  
Blue-winged Teal, Box Turtle,  
Brown Thrasher, Bullfrog,  
Eastern Bluebird,  
European Starling, House Wren,  
Largemouth Bass, Mallard,  
Mink, Northern Bobwhite,  
Ovenbird, Raccoon,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey,  
Wood Duck

Cut

Cut

Fold



## Eggs

### Eaten by:

Bluegill, Coyote,  
Eastern Gray Squirrel,  
House Sparrow,  
Largemouth Bass, Mink,  
Raccoon

Cut



## Eggs

### Eaten by:

Bluegill, Coyote,  
Eastern Gray Squirrel,  
House Sparrow,  
Largemouth Bass, Mink,  
Raccoon

Cut



## Eggs

### Eaten by:

Bluegill, Coyote,  
Eastern Gray Squirrel,  
House Sparrow,  
Largemouth Bass, Mink,  
Raccoon

Cut

Cut

Fold



## Ferns

Eaten by:

Box Turtle,  
Eastern Cottontail,  
White-tailed Deer

Cut



## Ferns

Eaten by:

Box Turtle,  
Eastern Cottontail,  
White-tailed Deer

Cut



## Ferns

Eaten by:

Box Turtle,  
Eastern Cottontail,  
White-tailed Deer

Cut

Cut

Fold

Photo Credit: U.S. Fish & Wildlife Service



Cut

Photo Credit: U.S. Fish & Wildlife Service



Cut

Photo Credit: U.S. Fish & Wildlife Service



Cut

## Fish

### Eaten by:

Bluegill, Bullfrog,  
Largemouth Bass,  
Mink, Raccoon

## Fish

### Eaten by:

Bluegill, Bullfrog,  
Largemouth Bass,  
Mink, Raccoon

## Fish

### Eaten by:

Bluegill, Bullfrog,  
Largemouth Bass,  
Mink, Raccoon

Cut

Fold



## Forbs

### Eaten by:

Beaver, Box Turtle,  
Canada Goose,  
Eastern Cottontail,  
Northern Bobwhite,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut



## Forbs

### Eaten by:

Beaver, Box Turtle,  
Canada Goose,  
Eastern Cottontail,  
Northern Bobwhite,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut



## Forbs

### Eaten by:

Beaver, Box Turtle,  
Canada Goose,  
Eastern Cottontail,  
Northern Bobwhite,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut

Cut

Fold



## Frogs and Salamanders

### Eaten by:

American Kestrel, Bluegill,  
Box Turtle, Brown Thrasher,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Muskrat, Raccoon,  
Wild Turkey

Cut



## Frogs and Salamanders

### Eaten by:

American Kestrel, Bluegill,  
Box Turtle, Brown Thrasher,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Muskrat, Raccoon,  
Wild Turkey

Cut



## Frogs and Salamanders

### Eaten by:

American Kestrel, Bluegill,  
Box Turtle, Brown Thrasher,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Muskrat, Raccoon,  
Wild Turkey

Cut

Cut

Fold



## Fleshy Fruits and Berries

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher, Coyote,  
Eastern Bluebird,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling,  
Northern Bobwhite, Raccoon,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck

Cut



## Fleshy Fruits and Berries

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher, Coyote,  
Eastern Bluebird,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling,  
Northern Bobwhite, Raccoon,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck

Cut



Photo Credit: Shelly Weeks

## Fleshy Fruits and Berries

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher, Coyote,  
Eastern Bluebird,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling,  
Northern Bobwhite, Raccoon,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck

Cut

Cut

Fold



## Fungi

Eaten by:

Box Turtle,  
Eastern Gray Squirrel,  
White-tailed Deer,  
Wild Turkey

Cut



## Fungi

Eaten by:

Box Turtle,  
Eastern Gray Squirrel,  
White-tailed Deer,  
Wild Turkey

Cut



## Fungi

Eaten by:

Box Turtle,  
Eastern Gray Squirrel,  
White-tailed Deer,  
Wild Turkey

Cut

Cut

Fold



## Grain

### Eaten by:

Brown Thrasher, Canada Goose,  
Coyote, Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling, House Finch,  
House Sparrow, Mallard,  
Mourning Dove,  
Northern Bobwhite, Raccoon,  
Red-winged Blackbird,  
Rock Dove, Ruffed Grouse,  
White-tailed Deer, Wild Turkey,  
Wood Duck



## Grain

### Eaten by:

Brown Thrasher, Canada Goose,  
Coyote, Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling, House Finch,  
House Sparrow, Mallard,  
Mourning Dove,  
Northern Bobwhite, Raccoon,  
Red-winged Blackbird,  
Rock Dove, Ruffed Grouse,  
White-tailed Deer, Wild Turkey,  
Wood Duck



## Grain

### Eaten by:

Brown Thrasher, Canada Goose,  
Coyote, Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling, House Finch,  
House Sparrow, Mallard,  
Mourning Dove,  
Northern Bobwhite, Raccoon,  
Red-winged Blackbird,  
Rock Dove, Ruffed Grouse,  
White-tailed Deer, Wild Turkey,  
Wood Duck

Cut

Cut

Fold




## Grass

### Eaten by:

Beaver, Canada Goose,  
Eastern Cottontail, Muskrat,  
Northern Bobwhite,  
White-tailed Deer,  
Wild Turkey

Cut



## Grass

### Eaten by:

Beaver, Canada Goose,  
Eastern Cottontail, Muskrat,  
Northern Bobwhite,  
White-tailed Deer,  
Wild Turkey

Cut



## Grass

### Eaten by:

Beaver, Canada Goose,  
Eastern Cottontail, Muskrat,  
Northern Bobwhite,  
White-tailed Deer,  
Wild Turkey

Cut

Cut

Fold




Photo Credit: Suzy Meeks

## Hard Mast

### Eaten by:

Brown Thrasher,  
Eastern Gray Squirrel,  
Mallard, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey, Wood Duck

Cut



Photo Credit: Suzy Meeks

## Hard Mast

### Eaten by:

Brown Thrasher,  
Eastern Gray Squirrel,  
Mallard, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey, Wood Duck

Cut



Photo Credit: Suzy Meeks

## Hard Mast

### Eaten by:

Brown Thrasher,  
Eastern Gray Squirrel,  
Mallard, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey, Wood Duck

Cut

Cut

Fold



## Insects

### Eaten by:

American Kestrel, American Robin,  
Big Brown Bat, Bluegill,  
Blue-winged Teal, Bobcat, Box Turtle,  
Brown Thrasher, Bullfrog, Canada Goose,  
Common Nighthawk, Coyote,  
Eastern Bluebird, Eastern Gray Squirrel,  
European Starling, Great Horned Owl,  
House Finch, House Sparrow, House Wren,  
Largemouth Bass, Mallard, Mink,  
Northern Bobwhite, Northern Flicker,  
Ovenbird, Raccoon,  
Red-winged Blackbird,  
Ruby-throated Hummingbird,  
Ruffed Grouse, Rufous-sided Towhee,  
Song Sparrow, Wild Turkey,  
Wood Duck




## Insects

### Eaten by:

American Kestrel, American Robin,  
Big Brown Bat, Bluegill,  
Blue-winged Teal, Bobcat, Box Turtle,  
Brown Thrasher, Bullfrog, Canada Goose,  
Common Nighthawk, Coyote,  
Eastern Bluebird, Eastern Gray Squirrel,  
European Starling, Great Horned Owl,  
House Finch, House Sparrow, House Wren,  
Largemouth Bass, Mallard, Mink,  
Northern Bobwhite, Northern Flicker,  
Ovenbird, Raccoon,  
Red-winged Blackbird,  
Ruby-throated Hummingbird,  
Ruffed Grouse, Rufous-sided Towhee,  
Song Sparrow, Wild Turkey,  
Wood Duck

Cut



## Insects

### Eaten by:

American Kestrel, American Robin,  
Big Brown Bat, Bluegill,  
Blue-winged Teal, Bobcat, Box Turtle,  
Brown Thrasher, Bullfrog, Canada Goose,  
Common Nighthawk, Coyote,  
Eastern Bluebird, Eastern Gray Squirrel,  
European Starling, Great Horned Owl,  
House Finch, House Sparrow, House Wren,  
Largemouth Bass, Mallard, Mink,  
Northern Bobwhite, Northern Flicker,  
Ovenbird, Raccoon,  
Red-winged Blackbird,  
Ruby-throated Hummingbird,  
Ruffed Grouse, Rufous-sided Towhee,  
Song Sparrow, Wild Turkey,  
Wood Duck

Cut

Cut

Fold



## Leaves and Twigs

### Eaten by:

Beaver, Eastern Cottontail,  
Eastern Gray Squirrel,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut



## Leaves and Twigs

### Eaten by:

Beaver, Eastern Cottontail,  
Eastern Gray Squirrel,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut



## Leaves and Twigs

### Eaten by:

Beaver, Eastern Cottontail,  
Eastern Gray Squirrel,  
Ruffed Grouse,  
White-tailed Deer,  
Wild Turkey

Cut

Cut

Fold



## Lichens

Eaten by:  
Box Turtle,  
White-tailed Deer

Cut



## Lichens

Eaten by:  
Box Turtle,  
White-tailed Deer

Cut



## Lichens

Eaten by:  
Box Turtle,  
White-tailed Deer

Cut

Cut

Fold



## Lizards

### Eaten by:

American Kestrel, Bobcat,  
Brown Thrasher,  
Coyote, Great Horned Owl,  
Raccoon,  
Red-tailed Hawk,  
Wild Turkey

Cut



## Lizards

### Eaten by:

American Kestrel, Bobcat,  
Brown Thrasher,  
Coyote, Great Horned Owl,  
Raccoon,  
Red-tailed Hawk,  
Wild Turkey

Cut



## Lizards

### Eaten by:

American Kestrel, Bobcat,  
Brown Thrasher,  
Coyote, Great Horned Owl,  
Raccoon,  
Red-tailed Hawk,  
Wild Turkey

Cut

Cut

Fold



Photo Credit: U.S. Fish & Wildlife Service

## Mammals

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk



## Mammals

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk



## Mammals

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk

Cut

Cut

Fold



## Mussels

Eaten by:

Mallard, Mink,  
Muskrat, Raccoon

Cut



## Mussels

Eaten by:

Mallard, Mink,  
Muskrat, Raccoon

Cut



## Mussels

Eaten by:

Mallard, Mink,  
Muskrat, Raccoon

Cut

Cut

Fold



**Nectar**

Eaten by:

Ruby-throated Hummingbird

Cut



**Nectar**

Eaten by:

Ruby-throated Hummingbird

Cut



**Nectar**

Eaten by:

Ruby-throated Hummingbird

Cut

Cut

Fold



## Scorpions

Eaten by:

American Kestrel,  
Northern Flicker,  
Wild Turkey

Cut



## Scorpions

Eaten by:

American Kestrel,  
Northern Flicker,  
Wild Turkey

Cut



## Scorpions

Eaten by:

American Kestrel,  
Northern Flicker,  
Wild Turkey

Cut

Cut

Fold

## Seeds

Eaten by:

Blue-winged Teal, Box Turtle,  
Brown Thrasher, Coyote,  
Eastern Bluebird, Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling, House Finch,  
House Sparrow, Mallard,  
Mourning Dove, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Red-winged Blackbird, Rock Dove,  
Ruffed Grouse, Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck



Cut

## Seeds

Eaten by:

Blue-winged Teal, Box Turtle,  
Brown Thrasher, Coyote,  
Eastern Bluebird, Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling, House Finch,  
House Sparrow, Mallard,  
Mourning Dove, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Red-winged Blackbird, Rock Dove,  
Ruffed Grouse, Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck



Cut

## Seeds

Eaten by:

Blue-winged Teal, Box Turtle,  
Brown Thrasher, Coyote,  
Eastern Bluebird, Eastern Cottontail,  
Eastern Gray Squirrel,  
European Starling, House Finch,  
House Sparrow, Mallard,  
Mourning Dove, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Red-winged Blackbird, Rock Dove,  
Ruffed Grouse, Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck



Cut

Cut

Fold



## Snails

### Eaten by:

American Robin, Bluegill,  
Blue-winged Teal,  
Box Turtle, Brown Thrasher,  
Bullfrog, Canada Goose,  
Coyote, Largemouth Bass,  
Mallard, Mink, Ovenbird,  
Raccoon, Ruffed Grouse,  
Song Sparrow, Wild Turkey,  
Wood Duck

Cut



## Snails

### Eaten by:

American Robin, Bluegill,  
Blue-winged Teal,  
Box Turtle, Brown Thrasher,  
Bullfrog, Canada Goose,  
Coyote, Largemouth Bass,  
Mallard, Mink, Ovenbird,  
Raccoon, Ruffed Grouse,  
Song Sparrow, Wild Turkey,  
Wood Duck

Cut



## Snails

### Eaten by:

American Robin, Bluegill,  
Blue-winged Teal,  
Box Turtle, Brown Thrasher,  
Bullfrog, Canada Goose,  
Coyote, Largemouth Bass,  
Mallard, Mink, Ovenbird,  
Raccoon, Ruffed Grouse,  
Song Sparrow, Wild Turkey,  
Wood Duck

Cut

Cut

Fold



## Snakes

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk

Cut



## Snakes

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk

Cut



## Snakes

### Eaten by:

American Kestrel, Bobcat,  
Bullfrog, Coyote,  
Great Horned Owl,  
Largemouth Bass, Mink,  
Raccoon, Red-tailed Hawk

Cut

Cut

Fold



## Spiders

### Eaten by:

American Kestrel, American Robin,  
Bluegill, Box Turtle,  
Brown Thrasher, Bullfrog,  
Eastern Bluebird,  
European Starling, House Finch,  
House Sparrow, House Wren,  
Northern Bobwhite,  
Northern Flicker, Ovenbird,  
Raccoon, Red-winged Blackbird,  
Ruby-throated Hummingbird,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey



## Spiders

### Eaten by:

American Kestrel, American Robin,  
Bluegill, Box Turtle,  
Brown Thrasher, Bullfrog,  
Eastern Bluebird,  
European Starling, House Finch,  
House Sparrow, House Wren,  
Northern Bobwhite,  
Northern Flicker, Ovenbird,  
Raccoon, Red-winged Blackbird,  
Ruby-throated Hummingbird,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey



## Spiders

### Eaten by:

American Kestrel, American Robin,  
Bluegill, Box Turtle,  
Brown Thrasher, Bullfrog,  
Eastern Bluebird,  
European Starling, House Finch,  
House Sparrow, House Wren,  
Northern Bobwhite,  
Northern Flicker, Ovenbird,  
Raccoon, Red-winged Blackbird,  
Ruby-throated Hummingbird,  
Rufous-sided Towhee,  
Song Sparrow, Wild Turkey

Cut

Cut

Fold




## Soft Mast

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher, Eastern Bluebird,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
House Finch, House Sparrow,  
Mallard, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Red-winged Blackbird,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck

Cut



## Soft Mast

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher, Eastern Bluebird,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
House Finch, House Sparrow,  
Mallard, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Red-winged Blackbird,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck

Cut



## Soft Mast

### Eaten by:

American Robin, Box Turtle,  
Brown Thrasher, Eastern Bluebird,  
Eastern Cottontail,  
Eastern Gray Squirrel,  
House Finch, House Sparrow,  
Mallard, Northern Bobwhite,  
Northern Flicker, Raccoon,  
Red-winged Blackbird,  
Ruffed Grouse,  
Rufous-sided Towhee,  
Song Sparrow, White-tailed Deer,  
Wild Turkey, Wood Duck

Cut

Cut

Fold



## Tubers

Eaten by:

Blue-winged Teal,  
Box Turtle, Canada Goose,  
Coyote, Mallard, Mink,  
Muskrat, Raccoon,  
Wild Turkey, Wood Duck

Cut




## Tubers

Eaten by:

Blue-winged Teal,  
Box Turtle, Canada Goose,  
Coyote, Mallard, Mink,  
Muskrat, Raccoon,  
Wild Turkey, Wood Duck

Cut



## Tubers

Eaten by:

Blue-winged Teal,  
Box Turtle, Canada Goose,  
Coyote, Mallard, Mink,  
Muskrat, Raccoon,  
Wild Turkey, Wood Duck

Cut

Cut

Fold



## Turtles

Eaten by:

Bullfrog, Coyote,  
Largemouth Bass,  
Mink, Raccoon

Cut



## Turtles

Eaten by:

Bullfrog, Coyote,  
Largemouth Bass,  
Mink, Raccoon

Cut



## Turtles

Eaten by:

Bullfrog, Coyote,  
Largemouth Bass,  
Mink, Raccoon

Cut



New 11/10

It is the policy of the Purdue University Cooperative Extension Service that all persons have equal opportunity and access to its educational programs, services, activities, and facilities without regard to race, religion, color, sex, age, national origin or ancestry, marital status, parental status, sexual orientation, disability or status as a veteran. Purdue University is an Affirmative Action institution.

This material may be available in alternative formats.

**PURDUE**  
UNIVERSITY

Order or download materials at the *Purdue Extension Education Store* • [www.the-education-store.com](http://www.the-education-store.com)

**Purdue Extension**  
**Knowledge to Go**  
1-888-EXT-INFO