

#### 4-H Get Fit, That's It

### Healthy Eating, Active Living (HEAL) Nutritional Lessons



**Lesson 2:** Are You Getting Enough Sleep?

**Outcome**: Students will learn the causes, effects, and solutions to sleep deprivation.

#### SOL:

9.1.2 The student will recognize how maintenance of health habits promotes personal health. SOL 9.1d

9.1.5 The student will recognize the value of proper rest and regular physical activity. SOL 9.2c

9.1.8 The student will examine family health habits and behaviors as they relate to health promotion. SOL 10.2g

Life Skill: Decision making ability

Time: 45-60 minutes

Grade Level: 9-12

Space: Classroom

#### Materials Not Included in Kit:

Copies of handouts

Mad-Gab Cards Sheets
Mad-Gab Cards Answers
My Sleep Log
Solutions Charade Sheet
Sleep Is One Thing Missing in
Busy Teenage Lives paper
Poster board

#### Materials Supplied in Kit:

Wrist and ankle weights Markers Magazines Bowl Glue sticks **Concept/Theme:** To introduce the causes of sleep deprivation and ways to alleviate it. To heighten youth awareness of personal sleep habits and how sleep contributes to a healthy active lifestyle.

#### **Discussion:**

#### **Effects of Sleep Deprivation**

- 1. Talk with youth about the benefits of getting at least 9 hours of sleep each night. There are many effects of sleep deprivation but most frightening are the long-term effects. Sleep deprivation affects every part of the body. A recent finding of effects of sleep deprivation highlights drowsy driving. Drowsy driving has been shown to be as dangerous as drunk driving. Sleep deprivation can also lead to heart disease, diabetes, depression, and stroke.
- 2. Read "Sleep Is One Thing Missing in Busy Teenage Lives" to youth. Write the numbers 1-12 on the board. Ask each youth how many hours of sleep they get on an average night. Make tally marks under the corresponding numbers. Add all answers and divide by the number of youth. Now you have the average hours of sleep they are receiving. Explain to them they should be getting at least 9 hours every night.

#### **Activities:**

#### Lack of Sleep

1. Youth will play a game with "Mad-Gab" cards. This game will help youth learn the long term effects of sleep deprivation. It will be difficult for youth to figure out the words at a glance. This difficulty mimics the short term effect of sleep deprivation much like the ability to read and comprehend. Divide the class into pairs. Give each pair a set of six cards. Each member of the pair takes turns sounding out the word or words on the card that give an effect of sleep deprivation. After all pairs have finished, go over the correct answers. Ask if any of the long-term effects were surprising to them.

# "Sleep Is One Thing Missing in Busy Teenage Lives" by Denise Grady

#### Paragraphs to be read for activity:

At 6:30 in the morning, a strapping teenager on the cusp of manhood can look an awful lot like a newborn puppy, with eyes that won't open and a powerful instinct to curl up under something warm.

Is this the same person who swore he wasn't tired at 10:30 the night before while he traded instant messages with six different friends at once, and who will probably do it again tonight?

Parents know the adolescent drill all too well: stay up past 11 or 12 on school nights, stagger out of bed at 6 or 7, shower interminably, eat a token breakfast and bolt. Yawn through school, perk up for sports or clubs, fight sleep while doing homework. Come to life at 9 p.m., deny fatigue and stay up well after parents have collapsed into bed. Holidays and weekends, stay up half the night and then "binge sleep" until noon or beyond. Sunday night, restart the cycle of late to bed and early to rise.

Americans are said to be a sleep-deprived people, and teenagers are the worst of the lot. Most are lucky to get 6, 7 or 8 hours of sleep a night, even though studies have shown repeatedly that people in their teens and possibly even early 20's need 9 to 10 hours. Many live in a state of chronic sleep deficit that can affect mood, behavior, schoolwork and reaction time.

#### URL for entire article:

http://www.nytimes.com/2002/11/05/health/children/05SLEE.html



MadGab Flash Cards

Deep

Russian

Hard

Tis

Ease

Slaw

Yours

Peach

High

Pretend

Shin

Way

To

Gain

We Kim You N

Cyst Hem

Hi Year
Is Cove
Cant Sir

Bring Mat Tour Deaf

Hawk You
Pay Shun
All- In
Jury

Stir Oak

Dye
Ab
Eat
Tees

#### **Answer Sheet**

MadGab Flash Cards

Deep Russian

**Depression** 

Hard

Tis

Ease

**Heart Disease** 

Slaw

Yours

Peach

**Slows Your Speech** 

High

**Pretend** 

Shin

**Hypertension** 

Way

To

Gain

**Weight Gain** 

We Kim

You N

Cyst Hem

**Weaken Your System** 

Hi Year
Is Cove
Cant Sir

Bring Mat Tour Deaf

**Premature Death** 

Hawk You
Pay Shun
All- In
Jury

**Occupational Injury** 

Stir Oak

Dye

Ab

Eat

Tees

**Diabetes** 



#### 4-H Get Fit, That's It

## Healthy Eating, Active Living (HEAL) Nutritional Lessons



### My Sleep Log

Date:	Monday	Tuesday	Wednes- day	Thursday	Friday	Saturday	Sunday
What time did you first go to bed?							
What time did you go to sleep?							
About how many times, if any, did you awaken during the night?							
On a scale of 1 poor sleep, trouble sleeping at all) to 5(slept like a baby) how would you rate the quality of your sleep this time?							
Overall, about how many hours did you sleep?							
At what time did you wake up (for the last time) to-day?							
In general, how did you feel when you woke up?							
How much time, if any, did you spend napping during the day?							

#### **Fact Sheet on Healthy Sleep**

The Northern Virginia Healthy Kids Coalition is promoting healthy lifestyles for children & youth through the Tipping the Scales for Better Health Campaign. In this fact sheet we focus on healthy sleep. Remember healthy sleep is an important part of the 9-5-2-1-0 for Health message:

- √ 9 Get at least 9 hours of sleep per day
- √ 5 Eat 5 servings of fruits and vegetables per day
- √ 2 Limit screen time to no more than 2 hours per day
- √ 1 Get at least one hour of physical activity per day
- √ 0 Avoid beverages with added sugar.

#### Can lack of sleep really increase the chances for obesity in children?

Recent research has linked inadequate sleep with a higher risk for childhood obesity:

- Lack of sleep disrupts a child's 'energy balance', or the balance between 'energy in' (calories
  consumed) and 'energy out' (calories burned). This can cause the body to produce hormones which
  increase the child's appetite and result in weight gain/obesity.
- Childhood obesity/overweight puts a child at risk for sleep apnea, a disorder that prevents uninterrupted, deep sleep at night. Children with sleep apnea feel sleepy during the day and have impaired concentration/daytime performance of normal tasks.
- One study found that for each hour increase of sleep, the risk for childhood obesity/overweight is decreased by 9%.
- See the references for these studies at <a href="www.TippingtheScales.net">www.TippingtheScales.net</a>

#### How much sleep do children & youth need each night?

The National Sleep Foundation recommends these basic daily sleep requirements:

- Preschoolers: 11-13 hours
- Elementary school students: 10-12 hours
- Pre-teens: 9 11 hours
- Teens: 8 1/2 9 hours
- See the references at www.TippingtheScales.net.

#### What can I do to promote healthy sleep in children & youth?

- ✓ Model the way by getting the appropriate amount of sleep.
- ✓ Educate kids, parents, & caregivers about the importance of adequate sleep for good health.
- ✓ Learn more about the Tipping the Scales for Better Health Campaign at www.TippingTheScales.net.



Northern Virginia Healthy Kids Coalition



# Teens and sleep

AJ Schwichtenberg, Mary Huser, Stephen Small

ith all of the demands teens face today, getting enough sleep can be difficult. Inadequate sleep can affect your teen's mood, health and safety. Research has linked poor sleep habits to increased rates of depression and attention deficit disorder. Lack of sleep may change teens' metabolism, putting them at increased risk for obesity. Recent research links a lack of sleep with poor

- ✓ Falls asleep in class
- Concentrates poorly
- Becomes irritable, anxious or easily frustrated

# Factors that may contribute to your teen's sleep

#### Early school start times

Middle school and high school generally start earlier than elementary schools, which conflicts with your teen's natural tendency to sleep later. This conflict has been the

topic of many recent policy debates and today some schools are adopting later start times. If you have a choice, consider a school with a later start time or talk with local school officials about a later start time. An extra hour of sleep in the morning can help teens' memory, attention, mood and concentration throughout the day.

#### **Extracurricular activities**

Participating in extracurricular activities is linked to many positive outcomes, but balancing these activities with home life, work and school can put a strain on your teen's sleep. Encourage your teen to find a balance between all of these activities while still promoting sleep as a priority. Teens that are considered "high achievers" or that participate in multiple extracurricular activities are at increased risk for sleep problems.

#### **Drinking caffeine**

Drinking caffeinated beverages like soda, coffee or energy drinks is common for teens today. Consuming caffeine anytime after lunch can delay sleep onset at night which leads to less sleep at night and an increased desire for caffeine the following day. Caffeine is a stimulant and it is addictive. Many professionals do not recommend caffeine for teens, but if your teen does drink caffeine, limit consumption to a single serving in the morning. Avoid all sources of caffeine after lunch.

#### Circadian rhythm shift

One biological factor that influences the times and amount we sleep is our circadian rhythm. Circadian rhythms are 24-

## For many teens, weekend nights mean even less sleep.

hour based cycles that dictate when we feel drowsy or awake based our on exposure to light. Recent research has found a circadian rhythm shift in teens. This shift leads teens to stay awake later in the evening and to sleep later in the morning. Many parents have noticed this tendency for generations, but recently researchers have uncovered a biological basis for this change. So, it's natural for your teen to want to sleep later and to stay up later at night, while parents are winding down for the day.

## "I can't go to sleep at 10 pm-all I do is lay there wide awake for hours."

school performance. And not getting enough sleep can make driving more dangerous. Teen drivers are one of the groups at highest risk for driving accidents caused by drowsiness or fatigue.

Most professionals recommend that your teen receive 8½ to 9½ hours of sleep per night. But with a tendency to stay up late, early school start times and a busy schedule, it is not surprising that most U.S. teens are not getting enough sleep. The average teen gets 7 hours of sleep per night. For many teens, weekend nights mean even less sleep.

Here are some signs that your teen is not getting enough sleep.

- ✓ Naps for longer than 45 minutes
- Sleeps-in two or more hours on weekends
- Wakes up with difficulty in the morning
- ✓ Yawns throughout the day
- ✓ Depends on caffeine

### Tips to help your teen get enough sleep

- ✓ Establish consistent bedtimes and waking times throughout the week. Research has shown that sleeping-in on weekend mornings does not erase the negative effects of sleep deficits during the week. The optimal amount of sleep for teens is around 9 hours each night.
- Pay attention to sleeping-in on weekends. If teens don't stick to within 2 hours of their weekday waking schedule, they can get out of sync, making Monday mornings very difficult.
- Help your teen wake more easily in the morning by opening window coverings at night or providing gradual light into the room in the morning. This will allow your teen to wake slowly, making morning struggles less difficult.
- ✓ Encourage your teen to exercise. Teens who participate in moderate exercise fall asleep and stay asleep more easily. Moderate exercise is 30–60 minutes of cardiovascular activity 4 to 7 days per week. However, because exercise sessions are often followed by a burst of energy, evening exercise may make it difficult for your teen to fall asleep. Help your teen avoid exercise an hour before bedtime and reserve this time for a quiet activity.
- ✔ Prioritize sleep for your whole family. Often, it's more than just the teenager in the family who is not getting enough sleep. Most adults need about 8 hours of sleep each night. Remember that sleep is not a luxury; it's absolutely vital so the body and mind can function normally.
- ✓ Be patient and expect changes in sleep habits to take some time. Research has shown sleep patterns develop slowly and can be difficult to change, so allow a couple of weeks to adjust to new sleep times or routines.

Teenagers require more sleep than they did when they were 9 and 10 years old, yet most get 1 to 2 hours less!

### Parents make a difference!

Parents can promote more sleep for their teens by providing a sleep environment that is cool, quiet and dark at night. Remove all electronic distractions at bedtime. Watching television and having a TV in the bedroom have been linked with sleep difficulties in teens and adolescents. Items like TVs, video game stations, computers, cell phones, stereos or MP3 players are stimulating and can delay falling asleep. Reserve the bedroom for sleeping and quiet activities like reading.

### When to contact a pediatrician

Not all teen sleep problems are solved by modifying their sleep environment, cutting back on caffeine or other lifestyle changes. Some sleep problems are symptoms of more serious mood disorders (like depression), breathing abnormalities or medical conditions. If your teen's sleep problem interferes with his or her daily functioning and environmental changes have not helped, ask a medical doctor about the situation. Sometimes, a sleep study can be done to assess his or her breathing airway, body temperature, muscle tone and neurological activity while sleeping. These assessments are used to screen for the most common teen sleep disorders.

© 2007 by the Board of Regents of the University of Wisconsin System doing business as the division of Cooperative Extension of the University of Wisconsin–Extension. All rights reserved. Send inquiries about copyright permission to Extension Publishing, Rm. 103, 432 N. Lake Street, Madison, WI 53706.

**Authors:** AJ Schwichtenberg is a graduate student at the University of Wisconsin–Madison; Mary Huser, program specialist, University of Wisconsin–Extension; Stephen Small, professor, Human Development and Family Studies, School of Human Ecology, University of Wisconsin–Madison and family relations specialist, University of Wisconsin–Extension.



Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, University of Wisconsin-Extension, Cooperative Extension. University of Wisconsin-Extension provides equal opportunities in employment and programming, including Title IX and ADA requirements. If you need this information in an alternative format, contact the office of Equal Opportunity and Diversity Programs or call Extension Publishing at 608-262-2655.

This fact sheet is part of a series. To view or order this and others in the series, visit http://learningstore.uwex.edu or call toll-free 1-877-WIS-PUBS(947-7827).

Whose Kids? Our Kids! Teens and Sleep (B3706-13)