



4-H Beef/Dairy Beef

Name:	4-H Club
Leader Signature:	Date:

BEEF TERMS

ΟE ILDXCCOWVNSBLGBHC ОЕ Τ XRRYD S ΜE Z I N E Ν Ν SH O R ОКР Ρ F 0 U В Q Т Ρ Y SRXR W YΒ G N S R V Τ S Ρ S Ζ В Ι Τ V D F L W Ι D C S Ι G Ρ Q 0 S 0 S ΜE ΚF YXXLXAKJBAE YXDN YVN Τ Υ W Ε I Ν Т Ε RNALPARA S I Τ Т Ρ Ζ J ммус Ε \mathbf{E} F UBAECRO Υ F Ι В \mathbf{E} В ΥG 0 I D Ε R Ρ YER C I M R J K N JΖ APNL S C LWRD 0 C Y ΗЈ Υ D Τ Α I D 0 L Y Ρ A R D C U Ι I G В Т G Μ S Ι Ρ Q YHMNR Ι V V ΑE Τ U Ζ H M R A I H V Ι RΕ C Ι В PΟ Т Ρ R U IXBXHS Ε ΗЕ ACDV ZS V R J C Ρ 0 F X U Ζ V Т 0 S G S 0 \mathbf{F} Ρ S W L R U M INAN ${
m T}$ XRDNLSK S Т Τ Ι \mathbf{E} ΗА Y L I Т R \mathbf{E} F M S L Q 0 D 0 J U N K Ζ Ζ I A B DVA W ORYU K D Α Y В F Ζ C NHE D Η Μ V W M D L Y P Z U O G U D K B N X N W E Y B X J W

WORD BANK

CARCASS
CHROMOSOME
CROSS BREEDING
DUAL PURPOSE BREED
EXTERNAL PARASITES
FERTILITY
FINISH

HORMONE
IMMUNITY
INTERNAL PARASITE
PEDIGREE
ROUGHAGE
RUMINANT
SUPPLEMENT

When leading your calf, you should be on the calf's side with the halter in your hand. There are two types of lice: and Face flies cluster around the head and face, and they irritate the eyes. Face flies may also spread the infection called Grubs, which is part of the life-cycle of the Heel Fly (Warble Fly) is another pess of cattle producers. Grubs can cause significant economic loss as a result of reduced, damage to the and lower values. List two ways to treat cattle for internal parasites: List four of the seven treatments used to control external parasites.
Face flies cluster around the head and face, and they irritate the eyes. Face flies may also spread the infection called Grubs, which is part of the life-cycle of the Heel Fly (Warble Fly) is another pess of cattle producers. Grubs can cause significant economic loss as a result of reduced, damage to the values. List two ways to treat cattle for internal parasites: List four of the seven treatments used to control external parasites.
may also spread the infection called Grubs, which is part of the life-cycle of the Heel Fly (Warble Fly) is another pessof cattle producers. Grubs can cause significant economic loss as a result of reduced, damage to the and lower values. List two ways to treat cattle for internal parasites: List four of the seven treatments used to control external parasites.
of cattle producers. Grubs can cause significant economic loss as a result of reduced, damage to the values. List two ways to treat cattle for internal parasites: List four of the seven treatments used to control external parasites.
and lower values. List two ways to treat cattle for internal parasites: List four of the seven treatments used to control external parasites.
List four of the seven treatments used to control external parasites.
List four of the seven treatments used to control external parasites.
List eight careers in the Beef Industry.

Horses, cats, and dogs are not required to complete numbers 2 and 3.

Animals Owned

Animals Name	Breed	Sex	Date of Birth	Date Obtained
		-		

1.	Expenses for the Animal(s)			
	Animal(s) if purchased	\$		
	Feed	\$		
	Bedding	\$		
	Vet	\$		
			Total Expenses	\$
2.	Income from Animal(s) market animals sold	\$		
	Estimated value of animal to be sold in 4-H	Auction \$		
	•		Total Income	\$
3.	Value of breeding animals		Asset Value	\$
	Value of your cat or dog			\$
			Net Profit / Loss	\$
	Member Signature:			
	Parent Signature:			
	Leader Signature:			